

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A method of constructing a representation of the geographical distribution of traffic for a cellular radio network, the method comprising the steps of:

dividing each cell of said cellular network into a set of areas using information on handovers boundaries obtained from said cellular network;

determining a traffic value for each of said areas; and

determining a representation of the geographical distribution of the traffic from said traffic values,

wherein the traffic value of an area depends on an outgoing handover probability ( $\alpha_1$ ,  $\alpha_2$ ) from said area to a neighboring cell.

2. (canceled).

3. (currently amended): A method according to claim 1-2, wherein said handover probabilities are computed conjointly with said traffic values by a constraint optimization method.

4. (original): A method according to claim 1, wherein the step of dividing each cell is made up of the following substeps:

acquiring incoming handover boundaries from best server maps provided by a management system, and

computing outgoing handover boundaries from said incoming handover boundaries, said outgoing handover boundaries forming the boundaries of said areas.

5. (currently amended): A method according to claim 1, wherein the following ~~equation~~ constraint is satisfied for each cell:  $\left[ \left[ \sum_{k \in J(i)} \lambda_k = t_i \right] \right]$  ~~such that J(i) is the set of indices of the areas belonging to~~ addition of all the traffic values ( $\lambda_k$ ) of the areas ( $A_k$ ) comprised in a cell (i) and is equal to ( $t_i$ ), is the traffic value for of the cell (i).

6. (new): A method according to claim 1, wherein a distinction is made between two types of areas contained in a cell  $C_i$ :

areas near a cell  $C_i$ , for which the probability  $a_1$  that a call will be subject to an outgoing handover is relatively high,

other areas of the cell  $C_i$ , for which the probability  $a_2$  that a call will be subject to an outgoing handover is relatively low.

7. (new): A planning device for constructing a representation of the geographical distribution of traffic for a cellular radio network, the device comprising:

- a dividing module dividing each cell of said cellular network into a set of areas using information on handovers boundaries obtained from said cellular network;
- a first determining module determining a traffic value for each of said areas; and
- a second determining module determining a representation of the geographical distribution of the traffic from said traffic values,

wherein the traffic value of an area depends on an outgoing handover probability ( $\alpha_1, \alpha_2$ ) from said area to a neighboring cell.